

Installation Guide

ED Desktop Application (eD BOT)



Table of Content

Intr	oduction	3
1.1	Purpose	3
Inst	allation Process	3
2.1.1	I Installation process of Tesseract-OCR	4
2.1.2	2 Installation process of eD Desktop Application [eD Bot]1	5
	Intr 1.1 Inst 2.1.2 2.1.2	Introduction 1.1 Purpose Installation Process 2.1.1 Installation process of Tesseract-OCR 2.1.2 Installation process of eD Desktop Application [eD Bot]



1 Introduction

Effective communication is the first step towards the right decision for the desired action, which is why communication is much-taken care of and systematized in the public sector, which can ensure transparency and accountability to its citizens. While every decision at Government needs an ink-signed letter, these letters have been segregated into two categories – Letter Dispatched and Letter Received. The letters are regulated through stringent/auditable sets of rules laid down in the Central Secretariat Manual of Office Procedure (CSMoP) and the respective States Record Manual. Since the credibility of a letter is immense for decision-making at the Government authorities, each step right from dispatch to receipt of such a letter is meticulously documented.

1.1 Purpose

This document provides a step-by-step guideline on the Installation Process of the eD Desktop Application (eD BOT). With the help of the document the authorized user gets the detailed information on the navigations of links and sub-links.

2 Installation Process

To get started with the eD Desktop Application (ED Bot), download the application from the eDespatch Website.

After downloading the application, it displays the two installation files (refer **Fig. 2-1**) named as edespath_2.0_setup and tesseract-oct-w64-setup-v5.0.0-alpha.20210506.



Figure 2-1 Installation files

For installation of eD Desktop application, it is required the install the Tesseract-OCR application in the system.



2.1.1 Installation process of Tesseract-OCR



Figure 2-2 Application Icon Screen

Referring to Fig. 2-2, after downloading the application, the screen displays the icon.

• For installation process, click the icon and further it displays the setting up process (refer **Fig. 2-3**).



Figure 2-3 Application Process Screen

Referring to **Fig. 2-3**, the pop-up populates the screen displaying- "*Please wait while Setup is loading*", *Uploading data percentage*.

After the data update percentage is completed, further language pop-up populates the screen (refer **Fig. 2-4**).



Figure 2-4 Language Selection Screen



Referring to Fig. 2-4, in the Pop-up screen-

- Select the <u>Language</u> from the drop down menu.
- Click the **OK** button. Or to cancel, click the **Cancel** button.

The page navigates to the welcome Screen (refer **Fig. 2-5**).



Figure 2-5 Welcome Screen

The pop-up message displays the Welcome Screen.

• Click the **Next** button.

The page navigates to **Fig. 2-6**.



Figure 2-6 License Agreement Screen

• Click the I Agree button for agreeing the Terms and Conditions of the Installation process.



Further the page navigates to **Fig. 2-7**.

💮 Tesseract-OCR v5.0.0-a	lpha.20210506		_		×
	Choose Users Choose for which	users you want to i	nstall Tessera	ct-OCR.	
Select whether you want computer. Click Next to co	to install Tesseract-O ontinue.	CR only for yourself	or for all user	rs of this	
Install for anyone Install just for me	using this computer				
Nullsoft Install System v3.06	,1-1	< Back	Next >	Canc	el

Figure 2-7 Choose Users Screen

Referring to Fig. 2-8-

- Click the **Install for anyone using the computer** button.
- Click the **Next** button.

The page further navigates to **Fig.2-7**.

Tesseract-OCR v5.0.0-alpha.2	💮 Tesseract-OCR v5.0.0-alpha.20210506 — 🗌 🗙							
Choose Components Choose which features of Tesseract-OCR you want to install.								
Check the components you want to install and uncheck the components you don't want to install. Click Next to continue.								
Select components to install:	ScrollView ScrollView View Training Tools Shortcuts creation Language data Additional script data (download) Scroll data (download)		6					
Space required: 279.9 MB	Description Position your mouse over a component to see its description,							
Nullsoft Install System v3.06.1-1 –	< Back Next >	Cance	1					

Figure 2-8 Choose Components Screen



Referring to Fig. 2-8-

- The Components to Install is already selected.
- Click the **Next** button.

Further the page navigates to Install Location page (refer Fig. 2-9).

💮 Tesseract-OCR v5.0.0-	alpha.20210506	-		×
	Choose Install Location Choose the folder in which to inst	tall Tesseract-O	CR.	
Setup will install Tessera Browse and select anoth	ct-OCR in the following folder. To insta er folder. Click Next to continue.	Il in a different	folder, click	
Destination Folder	sseract-OCR	Bro	owse	
Space required: 279.9 M Space available: 129.4 G	B			
Nullsoft Install System v3.0	6.1-1	Next >	Cance	el

Figure 2-9 Choose Install Location Screen

With referring to Fig. 2-9, in the Destination Folder-

- Select the Destination Folder in C Drive by clicking the Browser folder.
- Click the **Next** button.

The page navigates to **Fig. 2-10**.

💮 Tesseract-OCR v5.0.0)-alpha.20210506		_	□ X
	Choose Start N Choose a Start I	lenu Folder Menu folder for th	ne Tesseract-OCF	R shortcuts.
Select the Start Menu can also enter a name	folder in which you wou to create a new folder.	ld like to create t	ne program's sho	rtcuts. You
7-Zip Accessibility Accessibility Administrative Tools FileZilla FTP Client Maintenance Microsoft Office 2016 Real/VNC	Tools			^
Sophos StartUp System Tools	tcuts			~
Nullsoft Install System v3.	.06,1-1	< Back	Install	Cancel

Figure 2-10 Choose Start Menu Folder Screen





Referring to Fig. 2-10-

• Click the **Install** button.

Further the page navigates to the Installing page (refer Fig. 2-11).

💮 Tesseract-OCR v5.0.0-al	pha.20210506		_		×
	Installing Please wait while Tess	seract-OCR is bei	ng installed.		
Create shortcut: C:\Progra	amData (Microsoft (Windo)	ws\Start Menu\Pr	ograms\Tess	eract-OC	R\F₁
Show details					
Nullsoft Install System v3,06,	1-1	< Back N	lext >	Cano	el

Figure 2-11 Installing Screen

• To view the details, click the **show Details** button.

Further after the installing is finished, the page navigates to **Fig. 2-12**.



Figure 2-12 Installation Complete Screen



• Click the **Finish** button.

Further the user to edit the "System Environment".

In the Window Search Bar, enter the "Environment Variable"

Further the page navigates to System Properties pop-up (refer Fig. 2-13).

System Properties	×								
Computer Name Hardware Advanced System Protection Remote	ato								
You must be logged on as an Administrator to make most of these changes. Performance Visual effects processor scheduling memory usage, and virtual memory.									
Settings									
User Profiles		I							
Desktop settings related to your sign-in									
Settings									
Startup and Recovery		I							
System startup, system failure, and debugging information									
Settings									
Environment Variables]								
OK Cancel Apply									
	System Properties Computer Name Hardware Advanced System Protection Remote You must be logged on as an Administrator to make most of these changes. Performance Visual effects, processor scheduling, memory usage, and vitual memory Settings User Profiles Desktop settings related to your sign in Startup and Recovery System startup, system failure, and debugging information Settings Environment Variables OK Cancel Apply	System Properties × Computer Name Hardware Advanced System Protection Remote You must be logged on as an Administrator to make most of these changes. Performance Visual effects, processor scheduling, memory usage, and virtual memory Settings User Profiles Desktop settings related to your sign-in Startup and Recovery System startup, system failure, and debugging information Settings Environment Variables OK Cancel Apply							

Figure 2-13 System Properties Screen

Referring to Fig. 2-13, in the System Properties pop-up-

- Click the **Advance** tab as highlighted in the figure.
- Click the **Environment Variable** button.

Further the page navigates to Environment Variables page (refer Fig. 2-14).

	Value
OneDrive	C:\Users\dikhya.mohanty\OneDrive
Path	C:\Users\dikhya.mohanty\AppData\Local\Microsoft\WindowsApps
TEMP	C:\Users\dikhya.mohanty\AppData\Local\Temp
TESSDATA_PREFIX	C:\Program Files\Tesseract-OCR
TMP	C:\Users\dikhya.mohanty\AppData\Local\Temp
	New Edit Delete
	New Edit Delete
	New Edit Delete
/stem variables	New Edit Delete
vstem variables Variable	New Edit Delete
rstem variables Variable ComSpec	Value C:\Windows\system32\cmd.exe
rstem variables Variable ComSpec DriverData	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData
/stem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8
vstem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8 Windows_NT
vstem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS Path	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8 Windows_NT C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;
rstem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS Path PATHEXT	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8 Windows_NT C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem; .COM;.EXE;.BAT;.CMD;.VBS;.VBE;JS;JSE;.WSF;.WSH;.MSC
rstem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS Path PATHEXT PROCESSOR ARCHITECTURE	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8 Windows_NT C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem; .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC AMD64
vstem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS Path PATHEXT PROCESSOR ARCHITECTURE	New Edit Delete Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8 Windows_NT C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem; .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC AMD64

Figure 2-14 Environment Variable Screen

Referring to Fig. 2-14, To add the new link-

• Click the **Pathway** as highlighted in the figure.

To get the First Pathway, click -

C Drive > Program File > Tesseract-OCR > Copy the Pathway (refer Fig. 2-15).

📙 🕑 📙 👻 Tesseract-O	CR				
File Home Share	View				
← → • 1 <mark>. C:\Pro</mark>	ogram Files\Tesseract-OCR				~ 0
	Name	Date modified	Туре	Size	
🖈 Quick access	doc	29-11-2022 11-22	File folder		
📃 Desktop 🛛 🖈	toredata	20-11-2023 11.22	File folder		
👆 Downloads 🛛 🖈	ambiguous words 1	06-05-2021 17:42	Microsoft Edge H	10 V D	
🕆 Documents 🖈	ambiguous words	06-05-2021 17:42	Application	1 098 KB	
Pictures 💉	classifier tester.1	06-05-2021 17:42	Microsoft Edge H	20 KB	
2023-10-10 12.36 *	classifier tester	06-05-2021 17:42	Application	5.467 KB	
Screenshots	C cntraining.1	06-05-2021 17:42	Microsoft Edge H	18 KB	
Screenshots	cntraining	06-05-2021 17:42	Application	5,139 KB	
Screenshots	combine_lang_model.1	06-05-2021 17:42	Microsoft Edge H	21 KB	
User Manual	combine_lang_model	06-05-2021 17:42	Application	4,003 KB	
USER MANUAL FILE	💽 combine_tessdata.1	06-05-2021 17:42	Microsoft Edge H	27 KB	
len OneDrive	📧 combine_tessdata	06-05-2021 17:42	Application	1,268 KB	
	💽 dawg2wordlist.1	06-05-2021 17:42	Microsoft Edge H	18 KB	
Ihis PC	📧 dawg2wordlist	06-05-2021 17:42	Application	583 KB	
🗊 3D Objects	iconv.dll	02-12-2013 07:03	Application exten	33 KB	
E Desktop	icudt64.dll	26-04-2019 01:33	Application exten	26,902 KB	
Documents	🗟 icuin64.dll	26-04-2019 01:34	Application exten	2,523 KB	
👆 Downloads	🔄 icuuc64.dll	26-04-2019 01:34	Application exten	1,594 KB	
h Music	libarchive-13.dll	06-12-2020 00:44	Application exten	759 KB	
Pictures	libbz2-1.dll	03-12-2013 09:45	Application exten	70 KB	
Videos	libcairo-2.dll	20-02-2018 10:03	Application exten	871 KB	
Local Disk (C)	libcurl-4.dll	06-05-2021 01:21	Application exten	558 KB	
Local Disk (C:)	S libeay32.dll	28-03-2018 05:43	Application exten	2,197 KB	
E LOCAI DISK (D:)	New Sector Sector	19-07-2017 06:52	Application exten	156 KB	
💣 Network	S libtti-b.dll	23-11-2015 12:31	Application exten	31 KB	
	Introntconfig-1.dll	20-02-2018 09:52	Application exten	270 KB	
	indirectype-o.dl	20-05-2018 08:30	Application exten	027 KB	
96.1	ingcc_s_sen-1.dll	27-11-2020 11:27	Application exten	293 KB	

Figure 2-15 Pathway Screen

Referring to **Fig. 2-54**, Copy the Pathway as highlighted in the figure.

Further paste the pathway in the Edit Environment Variable page (refer Fig. 2-16).

er E	dit environment variable	×
Va Da TE TN	%USERPROFILE%\AppData\Local\Microsoft\WindowsApps	New Edit
		Browse Delete
ste		Move Up
Va Co		Edit text
Dr NI DS Da		
Þ∆ ÞF		
	ОК	Cancel



Referring to **Fig. 2-16**, in the Edit Environment Variable page, paste the pathway in the highlighted area.

%USERDROEILE%\AppData\Local\Microsoft\WindowsApps	Naw
C:\Program Files\Tesseract-QCR	New
	Edit
	Browse
	Delete
	Move Up
	Move Down
	Edit text

Figure 2-17 Edit Environment Variable Screen (2)

Referring to Fig. 2-17, for adding the new pathway-

• Click the **New** button as highlighted in the figure.

To get the Second Pathway, click -

C Drive > Program File > Tesseract-OCR > Right Click the Tesseract-OCR > Properties > Security > Copy the Object Name (refer Fig. 2-18).

<mark>.</mark>	Ma View Applica	nage Tesse tion Tools	ract-OCR					
← → ~ ∱ 📙 > Tł	nis PC > Local Disk (C:)	> Program Files	> Tesseract-OCR				~	ē
	Name	^	Date modified	Туре	Size			
📌 Quick access	libxml2-2.dll		27-08-2016 00:40	Application exten	1,226 KB			
📃 Desktop 🛛 🖈	libzstd-1.dll		24-05-2020 18:58	Application exten	784 KB			
👆 Downloads 🛛 🖈	Istmeval.1		06-05-2021 17:42	Microsoft Edge H	20 KB			
🗄 Documents 🖈	Istmeval		06-05-2021 17:42	Application	9,529 KB			
Pictures 🖈	C Istmtraining.1		06-05-2021 17:42	Microsoft Edge H	23 KB			
2023-10-10 12 36 🖈	Istmtraining		06-05-2021 17:42	Application	10,599 KB			
Ecco in in iteration	C merge_unichars	ets.1	06-05-2021 17:42	Microsoft Edge H	19 KB			
Screenshots	merge_unichars	ets	06-05-2021 17:42	Application	407 KB			
Screenshots	💽 mftraining.1		06-05-2021 17:42	Microsoft Edge H	19 KB			
User Manual	📧 mftraining		06-05-2021 17:42	Application	5,798 KB			
USER MANUAL FILE	💽 set_unicharset_p	roperties.1	06-05-2021 17:42	Microsoft Edge H	19 KB			
OneDrive	📧 set_unicharset_p	roperties	06-05-2021 17:42	Application	7,311 KB			
	💽 shapeclustering	.1	06-05-2021 17:42	Microsoft Edge H	19 KB			
💻 This PC	shapeclustering		06-05-2021 17:42	Application	5,470 KB			
🧊 3D Objects	🗟 ssleay32.dll		28-03-2018 05:43	Application exten	391 KB			
📃 Desktop	C tesseract.1		06-05-2021 17:42	Microsoft Edge H	41 KB	1		
Documents	tesseract		06-05-2021 17:37	Application	1,165 KB			
Downloads	😻 tesseract-uninst	all	28-11-2023 11:22	Application	129 KB	•		
Music	C text2image.1		06-05-2021 17:42	Microsoft Edge H	26 KB			
Distures	text2image		06-05-2021 17:42	Application	11,111 KB			
Pictures	unicharambigs.	5	06-05-2021 17:42	Microsoft Edge H	21 KB			
Videos	C unicharset.5		06-05-2021 17:42	Microsoft Edge H	24 KB			
🏪 Local Disk (C:)	C unicharset_extra	ctor.1	06-05-2021 17:42	Microsoft Edge H	19 KB			
🕳 Local Disk (D:)	unicharset_extra	ctor	06-05-2021 17:42	Application	4,039 KB			
A Network	💷 winpath		06-05-2021 15:41	Application	19 KB			
- Network	C wordlist2dawg.1		06-05-2021 17:42	Microsoft Edge H	20 KB			
	wordlist2dawg		06-05-2021 17:42	Application	1,084 KB			
	🕙 zlib1.dll		04-03-2017 03:18	Application exten	89 KB			

Figure 2-18 Second Pathway Screen (1)

Referring to **Fig. 2-18**, right click on the **Tesseract** as highlighted in the figure.

Further Properties pop-up populates the screen (refer **Fig. 2-19**).

		Manage	Tesseract-OCR				
File Home Share	View	Application Tools					
6 Th		Onen					
	ISPC > LO	Run as administr	ator	L			
1.0.11	Name	Share with Skype		odified	Туре	Size	
Y Quick access	🗟 libxn	Troubleshoot cor	npatibility	016 00:40	Application exten	1,226 KB	
🔜 Desktop 🛛 🖈	🗟 libzst	Pin to Start		020 18:58	Application exten	784 KB	
🕂 Downloads 🖈	💽 İstme	7-Zip	>	021 17:42	Microsoft Edge H	20 KB	
🚆 Documents 🛛 🖈	📧 İstmı	🖻 Share		021 17:42	Application	9,529 KB	
📰 Pictures 🛛 🖈		Scan with Sopho	s Endpoint	021 17:42	Microsoft Edge H	23 KB	
2023-10-10 12.36 🖈	💷 Istmi	Pin to taskbar		021 17:42	Application	10,599 KB	
Screenshots	e merc	Restore previous	versions	021 17:42	Microsoft Edge H	19 KB	
Screenshots	nerg mftr	Send to	>	121 17:42	Microsoft Edge H	19 KB	
📙 User Manual	🔳 mftri			021 17:42	Application	5.798 KB	
USER MANUAL FILE	💽 set_u	Cut		021 17:42	Microsoft Edge H	19 KB	
OpeDrive	🔳 set_u	Сору		021 17:42	Application	7,311 KB	
- onebine	💽 shap	Create shortcut		021 17:42	Microsoft Edge H	19 KB	
💻 This PC	🔳 shap	Velete		021 17:42	Application	5,470 KB	
🧊 3D Objects	🗟 sslea	👎 Rename		018 05:43	Application exten	391 KB	
📃 Desktop	C tesse	Properties		021 17:42	Microsoft Edge H	41 KB	
🔮 Documents	tesser	act	00-03-2	021 17:37	Application	1,165 KB	
👆 Downloads	😻 tesser	act-uninstall	28-11-2	023 11:22	Application	129 KB	
Music C text2		mage. i	06-05-2	02117:42	iviicrosoft Edge H	26 KB	

Figure 2-19 Second Pathway Screen (2)



Further tesseract Properties pop-up populates the screen (refer Fig. 2-20).



Figure 2-20 Second Pathway Screen (3)

Referring to **Fig. 2-20**, click the **Security** tab.

- Copy the Object Name as highlighted in the figure.
- Further paste the pathway in the Edit Environment Variable page (refer Fig. 2-17).
- Click the **Ok** button (refer **Fig. 2-17**).

Further the page navigates to **Fig. 2-21**.

New User Variable			×
Variable name:			
Variable value:			
Browse Directory	Browse File	OK	Cancel .::

Figure 2-21 New User Variable Screen (1)

Referring to Fig. 2-21-

- Enter the <u>Variable Name</u> as "TESSDATA_PREFIX" in the text box field.
- Enter the <u>Variable Value</u> pathway of the "Tesseract-OCR" folder available in C Drive
- > Program File

Se	ttin New User Variable			urity D X
Se	Variable name:	TESSDATA_PREFIX		AGE
iment	Browse Directory	Browse File	OK Cancel	
	NUMBER OF P	ROCESSORS 8		k Edit.

Figure 2-22 New User Variable Screen (2)

• Click the **Ok** button.

2.1.2 Installation process of eD Desktop Application [eD Bot]

The detailed installation process of eD Desktop application or eD Bot is as follows.

🏂 Setup - eDespatch version 2.0	– 🗆 🗙
Select Destination Location	EX.
Where should eDesnatch be installed?	
Setup will install eDespatch into the following folder.	
To continue, did: Next, If you would like to colort a different folder, did: Prower	
To continue, click Next. If you would like to select a different folder, click browse.	
C:\Users\dikhya.mohanty\AppData\Local\Programs\eDespatch	Browse
At least 515.7 MB of free disk space is required.	
	Next Cancel

Figure 2-23 Destination Location Screen

• Click the **Next** button.

Further the page navigates to Additional Task page (refer **Fig. 2-24**).

: 🅕 Setup - eDespatch version 2.0	_		×
Select Additional Tasks Which additional tasks should be performed?			(lo)
Select the additional tasks you would like Setup to perform while installing eDespatch, th	nen click N	ext.	
Additional shortcuts:			
Create a desktop shortcut			
Back N	ext	Ca	ancel

Figure 2-24 Additional Tasks Screen

Referring to **Fig. 2-24**, in the Additional Task page, the user to select the additional tasks to be performed.



• Click the **Next** button.

Further the page navigates to **Fig. 2-25**.

Setup - eDespatch version 2.0		×
Ready to Install Setup is now ready to begin installing eDespatch on your computer.		
Click Install to continue with the installation, or click Back if you want to review or change any sett	ings.	
Destination location: C:\Jsers\dikhya.mohanty\AppData\Local\Programs\eDespatch Additional tasks: Additional shortcuts: Create a desktop shortcut		^
< Back Install	Ca	ancel

Figure 2-25 Ready To Install Screen

Referring to Fig. 2-25, the page further displays the confirmation for ready to install.

• Click the **Next** button.

Further the page navigates to Installing page (refer **Fig. 2-26**).



Figure 2-26 Installing Screen

Referring to **Fig. 2-26**, in the Installing page it displays the files exacting and setting up the installation of the application in the system.

The page further navigates to the successful completion of the application (refer Fig. 2-27).



Figure 2-27 Completion of Application Screen





Further the installation of the eDdespatch Desktop Application is completed.

• Click the **Finish** button.

Further the page automatically navigates to the eDdespatch Desktop Application (refer **Fig. 2-28**).

eo Welcome - eDespatch Login		- 0 ×
COVERNMENT OF ODISHA		For assistance, call:155335 (Helpline) Secretariat user: 0674-2323837, Ext:3837 Email: edpmu[at]edespatch[dot]com
	Hello!, Nice to see you again	
	User Name	
	Password	
	Login	

Figure 2-28 Completion of Application Screen

Referring to **Fig. 2-28**, the page navigates to the Login page of the eDdespatch Login page.



Table of Figures

Figure 2-1 Installation files	3
Figure 2-2 Application Icon Screen	4
Figure 2-3 Application Process Screen	4
Figure 2-4 Language Selection Screen	4
Figure 2-5 Welcome Screen	5
Figure 2-6 License Agreement Screen	5
Figure 2-7 Choose Users Screen	6
Figure 2-8 Choose Components Screen	6
Figure 2-9 Choose Install Location Screen	7
Figure 2-10 Choose Start Menu Folder Screen	7
Figure 2-11 Installing Screen	8
Figure 2-12 Installation Complete Screen	
Figure 2-13 System Properties Screen	9
Figure 2-14 Environment Variable Screen	10
Figure 2-15 Pathway Screen	11
Figure 2-16 Edit Environment Variable Screen (1)	11
Figure 2-17 Edit Environment Variable Screen (2)	12
Figure 2-18 Second Pathway Screen (1)	13
Figure 2-19 Second Pathway Screen (2)	13
Figure 2-20 Second Pathway Screen (3)	14
Figure 2-21 New User Variable Screen (1)	15
Figure 2-22 New User Variable Screen (2)	15
Figure 2-23 Destination Location Screen	16
Figure 2-23 Destination Location Screen Figure 2-24 Additional Tasks Screen	16 16
Figure 2-23 Destination Location Screen Figure 2-24 Additional Tasks Screen Figure 2-25 Ready To Install Screen	16 16 17
Figure 2-23 Destination Location Screen Figure 2-24 Additional Tasks Screen Figure 2-25 Ready To Install Screen Figure 2-26 Installing Screen	16 16 17 18
Figure 2-23 Destination Location Screen Figure 2-24 Additional Tasks Screen Figure 2-25 Ready To Install Screen Figure 2-26 Installing Screen Figure 2-27 Completion of Application Screen	16 16 17 18 18